	Permit # Date of Reservation/
Approved by:	Approved copy issued to Permit Holder on: FOR OFFICE STAFF ONLY



## PARKS & RECREATION DEPARTMENT REQUEST FOR INFLATABLES IN THE PARK

Office (480) 503-6200 Monday – Thursday 7:00 am – 6:00 pm Fax (480) 503-6213 Email:recreation@gilbertaz.gov

This is a REQUEST and is subject to approval.

		INSTRUCTIONS:	
• No m	ore than <b>one</b> inflatable per area	will be permitted. No exceptions will be	made.
<ul><li>The F</li></ul>	Parks & Recreation Department	requires a certificate of insurance on file	for inflatable company used in parks.
	Crossroads Park – Right File Crossroads Park – Northeast Freestone Park Courtside McQueen Park Ash Rame Discovery Park – Digger's Courtside Discovery Park – Hoopasau Discovery Park – Bedrock F	of the following locations: eld Ramada with open area reserved at Picnic Table with open area reserved be Ramada with open area reserved ada with open area reserved becove Ramada with open area reserved burus Ramada with open area reserved becomes Ramada with open area reserved becomes Ramada with open area reserved becomes Ramada with open area reserved (general	
□ • A Raı		ested Park:	
<ul><li>additi</li><li>Any d</li></ul>	ional fees will be accessed to yo damages created by Inflatable v	led in your reservation time. Inflatable ve our account. endor will be charged to your account. you want the approved form sent	·
	R	ULES for the selected Inflatable Comp	anv·
L ● The in		•	k for set up instructions at (480) 503-6263
• The p	permit holder has included the s	et up and tear down times on the permit time used will have fees assessed to the	and has paid for their reservation
<ul><li>No st</li></ul>	<b>taking is allowed</b> . Sand bags n	nust be used if needed.	
● If a ge	enerator is being used, a workir	ng, certified fire extinguisher must be on h	nand at all times.
<ul><li>All ve</li></ul>	ehicles must stay off turf areas u	nless directed by a park ranger.	
Туре	of inflatable:	(jumping/obstacle course/ other activity	)
Size	of inflatable:	(a maximum of one blower is allowed u	inless the power is supplied by a generator)

\* Per Town of Gilbert Fire Prevention: Generators and other internal combustion power sources shall be separated from temporary membrane structures (inflatable features), tents, and canopies by a minimum of 20' and be isolated from contact with the public by fencing or other approved means.

(Gas or Electric)

Rental Company Contact person:

\*Generator (Type- HP/KW)

Contact Phone: Cellular day of event:

Your signature below indicates that you understand and accept the permit stipulations above:

Signature of Permit Holder Date